



SHREE MINERALS LTD

ASX Announcement
28 May 2019

Shree Minerals Ltd (“Shree”, the “Company” or “SHH”) is pleased to provide the following update in relation to its current activities across the Western Australia and Tasmania assets.

ASX Code SHH

ACN 130 618 683

COMPANY DIRECTORS

Sanjay Loyalka
Director and
Company Secretary

Andy Lau
Non-Executive
Director

Amu Shah
Non-Executive
Director

Davide Bosio
Non-Executive
Director

CONTACT DETAILS

Principal and
Registered Office
Unit 38
18 Stirling Highway
NEDLANDS WA 6009

www.shreeminerals.com

T +61 8 6150 7565
F +61 8 9389 1199

Highlights


- **Field geochemical exploration program (auger soil-sampling) completed at the Golden Chimney Project located in the Eastern Goldfields of WA.**
 - 1,040 sieved soil samples collected from auger holes drilled along 200m spaced traverses submitted to an analytical laboratory for analysis
 - Results from this program anticipated within the next 3-4 weeks
- **Following the recent improvement in iron ore prices, the Company has been actively pursuing re-permitting activities forming part of the development process of the Direct Shipping Ore (“DSO”) project at Nelson Bay River Iron Project (“NBR”) in North West Tasmania.**
 - Technical studies including various field surveys / work advanced with near completion of draft Development Proposal and Environment Management Plan (“DPEMP”)
- **Shree confirms it is compliant with ASX Listing Rule 12.1 clearly evidenced by the following progress :**
 - Capital raising via rights issue (refer announcement 26 November 2018)
 - Actively pursuing re-permitting activities forming part of development at NBR (refer announcement 20 February 2019)
 - Granting and successful exercise of option to acquire Golden Chimney Gold Project (refer announcement 28 March 2019)
 - Approval of program of works and commencement of exploration activities at Golden Chimney (refer announcement 15 May 2019)

Golden Chimney Project

Following the ASX announcement of 15 May 2019, Shree is pleased to advise that the auger soil sampling program has been completed at its Golden Chimney project, exploration licence E40/378.

The project occupies an area of 65.4km² and is located 40km south of Leonora, within the prolifically mineralised Leonora Geological Terrain (Figure 1). The world class deposit known as the Sons of Gwalia Gold mine (1.9 Moz Au in reserve at a grade of 7.5 g/t Au and past production of 4 Moz Au) also occurs within this geological terrain. Other significant and economic deposits include King of the Hills Mine (resources of 380,000oz Au), Tower Hill (625,000oz Au in resources) and Kallis – Trump and Ulysses (760,000oz Au in resources).

Figure 1. Regional Location of the Golden Chimney Project.



Geochemical Field Exploration Program

As discussed in the Company's previous announcements, the auger based soil sampling program has been completed for 1,040 sieved soils, collected on a 200m x 100m grid as illustrated in Figure 3.

Modern exploration techniques have not been applied to the Golden Chimney Project since 2001. The program aims to confirm and refine historical soil anomalies and identify new anomalies of the Golden Chimney style.

Auger holes were drilled to depths of 0.3m to 1m. Soil samples were collected below the level of any surface depletion and dilution. The preferred sample horizon was either a carbonate rich layer, which is often present in the Leonora area, or a soil colour change representing a change in redox soil conditions. Soil samples were sieved to -240 µ to enhance the anomaly to background ratio.


The samples have been submitted to a geochemical laboratory for analysis. Samples will be assayed for a range of elements including gold (ppb levels), copper, lead, zinc, arsenic, bismuth, nickel, cobalt, tungsten, rubidium and lithium. Sample numbers, coordinates (MGA_94 grid) and hole depths are located in Appendix 1 and JORC Table 1 disclosures are provided in Appendix 2.

Shree intends to define a number of drill targets as a result of this program and will continue to progress its exploration activities over the coming months.

Figure 2. Soil sampling within the Golden Chimney Project.



Figure 3. Soil sample locations within the Golden Chimney Project. The underlying image is the processed first vertical derivative of the regional aeromagnetics, with white colours representing the more magnetic rocks, probably dolerite lenses. Sample numbers, coordinates (MGA_94 grid) and hole depths are located in Appendix 1.



Nelson Bay River Iron Project

Shree's wholly owned NBR Project including Mining Lease 3M/2011 is engaged in the mining and shipment of iron ore. NBR was previously producing a direct shipping product until being placed on care and maintenance since June 2014 following sharp iron ore price falls.

Following the recent improvement in iron ore prices, the Company has commenced actively pursuing re-permitting activities forming part of the development process of the DSO project at NBR.

The iron ore price has continued to improve and has risen above US\$100/t (CFR China) for the common benchmark 62%Fe) due to recent supply disruptions and improving sentiment in the sector. Consensus analyst forecasts estimate that it may take a few years to normalise supply back to the levels produced before these disruptions occurred. Any near-term supply response is expected to be limited, particularly with little latent capacity left at major iron ore exporting ports and railways in Australia.

There have been further improvements in premiums for material with lower impurities like low alumina (as per the NBR ore produced previously) as Chinese authorities continue emphasis on environment control.

The iron ore prices in Australian Dollar ("AUD") terms have further improved due to the exchange rate of AUD with USD at around \$0.71 levels compared to around \$0.95 levels when the NBR project was last operating in 2014.

The DSO requires no major processing beyond crushing and screening. It is then trucked to the port and shipped. The south DSO pit ("SDSO") was developed in 2013 with production commencement in November 2013 and first shipment in January 2014. The operation has been developed as an all contract mining, processing and haulage operation with local contractors in the region. The iron ore shipments totalled 181,000 tonnes historically. The NBR product (DSO lump and fines) has been very well received and is in demand by customers due to its low impurities like alumina (Al₂O₃) at only 1.3%.

Development Approvals for Mine

The Company applied to the Circular Head Council for a permit under the Tasmanian Land Use Planning and Approvals Act for the direct shipping iron operations in August 2018. This was referred by the Council to the Tasmanian EPA who issued draft guidelines for public consultation and comment for preparation of a DPEMP. These Guidelines have now been finalised and final guidelines were issued during November 2018.

Consequently, Shree has previously initiated requisite technical studies as detailed in its ASX announcements over recent months and the Quarterly Activities report issued on 30 April 2019. During May 2019 further follow up field surveys and studies have been completed and the Company has significantly advanced the draft DPEMP which is nearing completion for submittal to the EPA. For example, Figures 4 and 5 show the field work completed as part of the hydrogeology technical field study. Some of the detailed technical studies include the following as per the table1.

Table1

Item	Status
Waste Rock Characterisation: Geochemical sampling, test work, analysis and reporting	Completed
Waste Rock Characterisation: Geological modelling and estimation	Completed
Hydrogeology Modelling	Progressing
Water Quality: Test work, analysis and reporting	Progressing
Water balance (surface and ground water) modelling	Progressing
Ecology studies: Flora and fauna surveys	Completed
DPEMP study management and reporting	Progressing
Water Quality Assessment including receiving waters	Progressing
Traffic impact studies	Progressing
Mine planning	Progressing
Pit Stability study	Completed
Greenhouse Emissions impact	Completed
Hazard Risk Analysis	Completed
Fire Risk Analysis and Management plans	Progressing

Figure 4. Test Pitting at NBR Project as part of Hydrogeology field studies



Figure 5. Existing NAF Dump and its proposed extended footprint, excavator test pit and permeability test locations (7 – 8 May 2019), and hydrogeological section lines A – B and C – D. (Source for base image: Google Earth, 6 December 2018)



Competent Person Statement

The information in this document that relates to Exploration Activities and Results including review of historical exploration activities and results is based on information compiled by Michael Busbridge, a Member of the Australian Institute of Geoscientists and a Member of the Society of Economic Geologists. He is a consultant to Shree Minerals Ltd. He has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (the JORC Code).

Michael Busbridge has consented to the inclusion in the report of the matters based on his information in the form and context in which it appears.

About Shree Minerals Limited

Shree Minerals Limited is an exploration and mine development company including being engaged in mining and production of iron ore and dense media magnetite at its Nelson Bay River Iron Project in the north west of Tasmania and gold exploration at its Golden Chimney Project in Western Australia.

Contact Details

Sanjay Loyalka
Executive Director
+61 8 6150 7565

Davide Bosio
Non-Executive Director
+61 8 9263 5210

APPENDIX 1. Auger sample details.

Auger Sample numbers, coordinates (MGA_94 Grid), sample colour, hole depths and QA/QC samples (which are coloured blue for duplicate sample or green for a standard (known) assay).

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0001	333250	6753101	Cream	2
SMAA0002	333251	6753148	Cream Brown	1
SMAA0003	333244	6753204	Cream Brown	1
SMAA0004	333245	6753254	Brown	1
SMAA0005	333245	6753296	Cream	1
SMAA0006	333251	6753353	Light Brown	1.5
SMAA0007	333247	6753401	Cream Brown	1
SMAA0008	333246	6753455	Light Brown	1.5
SMAA0009	333245	6753505	Light Brown	1
SMAA0010	333242	6753554	Light Brown	1.5
SMAA0011	333247	6753601	Light Brown	0.5
SMAA0012	333247	6753653	Light Brown	1
SMAA0013	333250	6753698	Light Brown	1
SMAA0014	333247	6753752	Cream Brown	0.5
SMAA0015	333247	6753803	Cream Brown	0.5
SMAA0016	333257	6753849	Brown	1
SMAA0017	333256	6753905	Light Brown	1.5
SMAA0018	333245	6753955	Brown	1
SMAA0019	333244	6754006	Brown	1
SMAA0020	333245	6754048	Brown	0.5
SMAA0021	333251	6754105	Brown	1
SMAA0022	333246	6754150	Brown	0.5
SMAA0023	333245	6754201	Brown	0.5
SMAA0024	333246	6754254	Brown	0.5
SMAA0025			Brown	0.5
SMAA0026	333498	6754299	Cream Brown	1
SMAA0027	333493	6754250	Cream Brown	1
SMAA0028	333498	6754205	Cream Brown	0.5
SMAA0029	333504	6754152	Cream Brown	0.5
SMAA0030	333502	6754105	Light Brown	0.5
SMAA0031	333496	6754051	Cream	0.5
SMAA0032	333505	6754005	Cream	0.5
SMAA0033	333505	6753948	Cream Brown	0.5
SMAA0034	333506	6753906	Cream	0.5
SMAA0035	333505	6753846	Cream	0.5
SMAA0036	333501	6753799	Cream	0.5
SMAA0037	333504	6753744	Light Brown	0.5
SMAA0038	333502	6753702	Tan	1
SMAA0039	333502	6753648	Light Brown	0.5
SMAA0040	333497	6753609	Cream Brown	1.5
SMAA0041	333504	6753556	Cream	1.5
SMAA0042	333504	6753501	Cream	1
SMAA0043	333499	6753458	Light Brown	1
SMAA0044	333500	6753402	Cream Brown	0.5
SMAA0045	333498	6753353	Cream	0.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0046	333499	6753304	Cream	1
SMAA0047	333502	6753252	Cream Brown	0.5
SMAA0048	333499	6753201	Cream Brown	1
SMAA0049	333498	6753155	Cream Brown	1
SMAA0050				
SMAA0051	333497	6753099	Light Brown	0.5
SMAA0052	333499	6753053	Light Brown	0.5
SMAA0053	333499	6753005	Cream Brown	1
SMAA0054	333753	6752699	Brown	0.5
SMAA0055	333751	6752756	Cream	1
SMAA0056	333759	6752807	Light Brown	0.5
SMAA0057	333750	6752854	Cream Brown	1
SMAA0058	333754	6752903	Cream Brown	1.5
SMAA0059	333751	6752950	Cream Brown	1
SMAA0060	333754	6753004	Brown	1
SMAA0061	333745	6753047	Brown	1
SMAA0062	333745	6753101	Brown	1
SMAA0063	333746	6753148	Cream	1
SMAA0064	333748	6753199	Cream Brown	1
SMAA0065	333745	6753254	Brown	1
SMAA0066	333745	6753296	Cream	0.5
SMAA0067	333746	6753351	Cream Brown	1
SMAA0068	333747	6753403	Cream	1
SMAA0069	333743	6753450	Cream	0.5
SMAA0070	333744	6753502	Cream	1.5
SMAA0071	333745	6753555	Cream Brown	1
SMAA0072	333756	6753605	Cream Brown	1
SMAA0073	333745	6753647	Cream Brown	1
SMAA0074	333748	6753698	Brown	1
SMAA0075			Brown	1
SMAA0076	333748	6753749	Brown	1
SMAA0077	333746	6753796	Brown	1
SMAA0078	333748	6753848	Cream Brown	1
SMAA0079	333754	6753898	Cream	1
SMAA0080	333748	6753952	Cream Brown	1
SMAA0081	333745	6754001	Cream Brown	1
SMAA0082	333745	6754054	Brown	1
SMAA0083	333743	6754098	Brown	1
SMAA0084	334000	6753902	Brown	1
SMAA0085	333992	6753848	Cream Brown	1
SMAA0086	333996	6753796	Brown	1
SMAA0087	333995	6753756	Cream	1
SMAA0088	333997	6753700	Light Brown	0.5
SMAA0089	334007	6753646	Light Brown	0.5
SMAA0090	333997	6753598	Light Brown	0.5
SMAA0091	334006	6753550	Light Brown	0.5
SMAA0092	333994	6753501	Cream	1
SMAA0093	333994	6753449	Cream Brown	1
SMAA0094	333992	6753397	Cream	1
SMAA0095	334004	6753355	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0096	334006	6753302	Cream Brown	1
SMAA0097	334004	6753249	Cream	1
SMAA0098	333998	6753201	Cream	1
SMAA0099	333997	6753146	Cream Brown	1
SMAA0100	334003	6753096	Cream Brown	1
SMAA0101	334007	6753043	Cream	1
SMAA0102	333990	6753000	Light Brown	0.5
SMAA0103	333999	6752950	Cream Brown	0.5
SMAA0104	334009	6752902	Cream	0.5
SMAA0105	333997	6752850	Cream	0.5
SMAA0106	334005	6752801	Light Brown	0.5
SMAA0107	333995	6752753	Cream Brown	0.5
SMAA0108	334007	6752704	Cream Brown	0.5
SMAA0109	334009	6752651	Cream Brown	0.5
SMAA0110	333994	6752593	Cream Brown	0.5
SMAA0111	333996	6752548	Cream Brown	0.5
SMAA0112	334004	6752506	Cream Brown	1
SMAA0113	334005	6752447	Brown	0.5
SMAA0114	334005	6752403	Brown	0.5
SMAA0115	334248	6752395	Light Brown	1
SMAA0116	334245	6752455	Grey Brown	1.5
SMAA0117	334211	6752499	Brown	1
SMAA0118	334235	6752541	Light Brown	0.5
SMAA0119	334243	6752649	Cream	0.5
SMAA0120	334252	6752701	Brown	0.5
SMAA0121	334245	6752747	Grey Brown	0.5
SMAA0122	334257	6752797	Grey Brown	0.5
SMAA0123	334253	6752855	Grey Brown	1
SMAA0124	334254	6752901	Light Brown	1
SMAA0125			Light Brown	1
SMAA0126	334253	6752951	Brown	0.5
SMAA0127	334254	6753001	Brown	0.5
SMAA0128	334248	6753051	Brown	1
SMAA0129	334251	6753098	Brown	0.5
SMAA0130	334247	6753150	Brown	1
SMAA0131	334254	6753202	Brown	1
SMAA0132	334251	6753248	Brown	1
SMAA0133	334250	6753303	Brown	0.5
SMAA0134	334251	6753356	Brown	0.5
SMAA0135	334250	6753406	Brown	0.5
SMAA0136	334249	6753452	Cream Brown	0.5
SMAA0137	334250	6753497	Light Brown	0.5
SMAA0138	334250	6753550	Brown	0.5
SMAA0139	334500	6753349	Brown	0.5
SMAA0140	334495	6753295	Light Brown	0.5
SMAA0141	334498	6753244	Light Brown	0.5
SMAA0142	334501	6753197	Light Brown	0.5
SMAA0143	334497	6753147	Brown	0.5
SMAA0144	334500	6753101	Cream Brown	1
SMAA0145	334501	6753054	Cream Brown	0.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0146	334496	6753003	Brown	0.5
SMAA0147	334501	6752955	Light Brown	1
SMAA0148	334499	6752906	Light Brown	0.5
SMAA0149	334501	6752856	Light Brown	0.5
SMAA0150			Light Brown	0.5
SMAA0151	334503	6752806	Brown	0.5
SMAA0152	334498	6752752	Brown	0.5
SMAA0153	334499	6752708	Brown	0.5
SMAA0154	334505	6752647	Brown	0.5
SMAA0155	334505	6752599	Grey Brown	0.5
SMAA0156	334526	6752545	Grey Brown	1
SMAA0157	334520	6752500	Grey Brown	0.5
SMAA0158	334508	6752421	Cream Brown	0.5
SMAA0159	334506	6752345	Light Brown	0.5
SMAA0160	334511	6752308	Light Brown	0.5
SMAA0161	334743	6753250	Light Brown	0.5
SMAA0162	334749	6753200	Light Brown	0.5
SMAA0163	334757	6753147	Light Brown	1
SMAA0164	334746	6753099	Cream Brown	1.5
SMAA0165	334749	6753048	Light Brown	1
SMAA0166	334750	6752998	Light Brown	1
SMAA0167	334748	6752951	Cream	0.5
SMAA0168	334749	6752904	Brown	1
SMAA0169	334756	6752845	Red Brown	0.5
SMAA0170	334752	6752800	Brown	0.5
SMAA0171	334743	6752756	Light Brown	0.5
SMAA0172	334754	6752700	Light Brown	1
SMAA0173	334751	6752651	Light Brown	0.5
SMAA0174	334745	6752607	Cream	0.5
SMAA0175			Cream	0.5
SMAA0176	334746	6752549	Light Brown	0.5
SMAA0177	334750	6752497	Grey	1
SMAA0178	334752	6752446	Grey Brown	0.5
SMAA0179	334750	6752395	Light Brown	0.5
SMAA0180	334757	6752356	Light Brown	0.5
SMAA0181	334757	6752297	Light Brown	1.5
SMAA0182	334744	6752253	Light Brown	1.5
SMAA0183	334755	6752204	Light Brown	0.5
SMAA0184	335000	6752098	Light Brown	0.5
SMAA0185	334995	6752148	Light Brown	1
SMAA0186	335007	6752206	Light Brown	1
SMAA0187	335003	6752257	Green Brown	1
SMAA0188	335001	6752304	Light Brown	0.5
SMAA0189	335005	6752354	Grey Brown	1
SMAA0190	335005	6752408	Grey Brown	0.5
SMAA0191	335008	6752450	Tan Brown	1.5
SMAA0192	335005	6752504	Cream Brown	0.5
SMAA0193	335001	6752551	Cream Brown	1.5
SMAA0194	335006	6752602	Cream	1
SMAA0195	335000	6752656	Brown	0.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0196	335002	6752702	Light Brown	1
SMAA0197	335002	6752752	Light Brown	0.5
SMAA0198	335002	6752803	Brown	1
SMAA0199	335002	6752855	Light Brown	1.5
SMAA0200	335002	6752905	Light Brown	1
SMAA0201	335001	6752956	Light Brown	1
SMAA0202	335001	6753006	Light Brown	2
SMAA0203	335251	6753052	Cream Brown	2
SMAA0204	335252	6753001	Light Brown	1
SMAA0205	335250	6752942	Light Brown	1
SMAA0206	335256	6752903	Light Brown	1
SMAA0207	335252	6752848	Light Brown	1
SMAA0208	335249	6752802	Light Brown	1
SMAA0209	335245	6752755	Tan	1.5
SMAA0210	335250	6752701	Grey Brown	1.5
SMAA0211	335257	6752653	Brown	1
SMAA0212	335254	6752602	Brown	1
SMAA0213	335248	6752545	Light Brown	1
SMAA0214	335243	6752504	Light Brown	1
SMAA0215	335255	6752455	Cream Brown	1.5
SMAA0216	335251	6752406	Brown	1
SMAA0217	335254	6752349	Brown	1
SMAA0218	335243	6752303	Grey Brown	1
SMAA0219	335249	6752243	Cream Brown	0.5
SMAA0220	335251	6752204	Light Brown	0.5
SMAA0221	335248	6752157	Light Brown	0.5
SMAA0222	335250	6752104	Brown	0.5
SMAA0223	335252	6752048	Brown	1
SMAA0224	335257	6752001	Brown	0.5
SMAA0225			Brown	0.5
SMAA0226	335501	6752099	Brown	0.5
SMAA0227	335498	6752159	Light Brown	0.5
SMAA0228	335500	6752199	Brown	0.5
SMAA0229	335494	6752244	Brown	0.5
SMAA0230	335503	6752302	Light Brown	1
SMAA0231	335507	6752350	Grey Brown	1.5
SMAA0232	335502	6752392	Brown	0.5
SMAA0233	335506	6752456	Brown	0.5
SMAA0234	335505	6752492	Brown	0.5
SMAA0235	335494	6752556	Cream Brown	1.5
SMAA0236	335499	6752600	Light Brown	1
SMAA0237	335499	6752658	Tan	1.5
SMAA0238	335500	6752694	Cream Brown	1.5
SMAA0239	335504	6752753	Cream Brown	1
SMAA0240	335510	6752803	Cream Brown	1
SMAA0241	335498	6752850	Light Brown	1
SMAA0242	335503	6752893	Light Brown	1
SMAA0243	335508	6752955	Light Brown	1.5
SMAA0244	335501	6752998	Light Brown	1
SMAA0245	335504	6753047	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0246	335499	6753103	Light Brown	0.5
SMAA0247	335754	6753252	Light Brown	0.5
SMAA0248	335745	6753205	Cream Brown	1.5
SMAA0249	335742	6753152	Cream Brown	1
SMAA0250				
SMAA0251	335749	6753100	Cream Brown	1
SMAA0252	335751	6753044	Light Brown	1
SMAA0253	335750	6752998	Light Brown	1
SMAA0254	335758	6752954	Cream Brown	1
SMAA0255	335754	6752901	Light Brown	1
SMAA0256	335754	6752847	Light Brown	1
SMAA0257	335743	6752806	Light Brown	1
SMAA0258	335741	6752748	Light Brown	1
SMAA0259	335749	6752701	Light Brown	1
SMAA0260	335750	6752654	Light Brown	1
SMAA0261	335757	6752602	Brown	0.5
SMAA0262	335759	6752551	Brown	0.5
SMAA0263	335757	6752503	Grey Brown	0.5
SMAA0264	335756	6752443	Cream Brown	1
SMAA0265	335746	6752405	Grey Brown	1
SMAA0266	335751	6752345	Cream Brown	1
SMAA0267	335752	6752301	Cream Brown	0.5
SMAA0268	336001	6752404	Light Brown	1
SMAA0269	335998	6752449	Cream Brown	1
SMAA0270	336008	6752507	Cream	0.5
SMAA0271	336005	6752553	Red Brown	1
SMAA0272	335997	6752603	Cream Brown	1.5
SMAA0273	335994	6752643	Red Brown	1
SMAA0274	336003	6752701	Cream Brown	1
SMAA0275			Cream Brown	1
SMAA0276	336009	6752754	Cream	1.5
SMAA0277	336597	6752793	Light Brown	1
SMAA0278	336004	6752855	Light Brown	1
SMAA0279	336002	6752898	Light Brown	1.5
SMAA0280	336006	6752956	Cream Brown	1
SMAA0281	336005	6753001	Cream Brown	1
SMAA0282	336002	6753049	Cream Brown	1
SMAA0283	336001	6753104	Light Brown	1
SMAA0284	335996	6753150	Light Brown	1
SMAA0285	336002	6753201	Light Brown	1
SMAA0286	336002	6753245	Brown	1
SMAA0287	336005	6753299	Brown	1.5
SMAA0288	336246	6753505	Light Brown	1
SMAA0289	336251	6753446	Light Brown	1
SMAA0290	336255	6753402	Light Brown	1
SMAA0291	336247	6753358	Light Brown	1
SMAA0292	336252	6753303	Light Brown	1
SMAA0293	336255	6753250	Brown	1
SMAA0294	336248	6753194	Light Brown	1
SMAA0295	336242	6753158	Tan	1.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0296	336251	6753104	Cream Brown	1
SMAA0297	336259	6753057	Light Brown	1
SMAA0298	336252	6752997	Brown	0.5
SMAA0299	336257	6752952	Cream	0.5
SMAA0300	336251	6752908	Cream	0.5
SMAA0301	336246	6752848	Cream Brown	1
SMAA0302	336258	6752809	Grey Brown	0.5
SMAA0303	336248	6752750	Cream Brown	1
SMAA0304	336256	6752698	Light Brown	1
SMAA0305	336253	6752654	Light Brown	0.5
SMAA0306	336247	6752597	Cream Brown	1
SMAA0307	336491	6752650	Cream Brown	1
SMAA0308	336495	6752700	Cream Brown	1
SMAA0309	336501	6752748	Light Brown	1
SMAA0310	336499	6752800	Light Brown	1
SMAA0311	336494	6752857	Cream Brown	1
SMAA0312	336502	6752897	Cream Brown	1
SMAA0313	336509	6752951	Cream Brown	1
SMAA0314	336496	6753002	Brown	0.5
SMAA0315	336498	6753049	Light Brown	0.5
SMAA0316	336505	6753101	Light Brown	1
SMAA0317	336483	6753147	Cream Brown	1
SMAA0318	336504	6753196	Cream Brown	1
SMAA0319	336500	6753250	Cream	1
SMAA0320	336500	6753300	Cream	1
SMAA0321	336542	6753348	Cream Brown	1
SMAA0322	336556	6753403	Cream Brown	1
SMAA0323	336549	6753452	Cream Brown	1
SMAA0324	336502	6753506	Cream Brown	1
SMAA0325			Cream Brown	1
SMAA0326	336502	6753554	Cream Brown	1
SMAA0327	336502	6753602	Cream Brown	1
SMAA0328	336498	6753648	Cream Brown	1
SMAA0329	336502	6753700	Cream Brown	1
SMAA0330	336492	6753749	Grey	1
SMAA0331	336493	6753807	Green Brown	1
SMAA0332	336507	6753855	Light Brown	1
SMAA0333	336504	6753906	Cream Brown	1
SMAA0334	336498	6753954	Cream Brown	1
SMAA0335	336501	6754000	Cream	1
SMAA0336	336501	6754049	Cream Brown	1
SMAA0337	336747	6753844	Light Brown	1
SMAA0338	336748	6753799	Light Brown	1
SMAA0339	336742	6753746	Light Brown	1
SMAA0340	336743	6753704	Light Brown	1
SMAA0341	336745	6753654	Cream	1
SMAA0342	336754	6753600	Cream Brown	1
SMAA0343	336749	6753549	Light Brown	1
SMAA0344	336751	6753503	Light Brown	1
SMAA0345	336759	6753446	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0346	336755	6753398	Cream	0.5
SMAA0347	336752	6753351	Light Brown	0.5
SMAA0348	336754	6753303	Cream Brown	1
SMAA0349	336756	6753252	Light Brown	1
SMAA0350				
SMAA0351	336754	6753199	Cream Brown	1
SMAA0352	336745	6752794	Light Brown	0.5
SMAA0353	336748	6752752	Light Brown	0.5
SMAA0354	336751	6752698	Brown	0.5
SMAA0355	336757	6752641	Brown	0.5
SMAA0356	337004	6752809	Brown	0.5
SMAA0357	337003	6752857	Light Brown	1
SMAA0358	336998	6752897	Light Brown	1
SMAA0359	336999	6752953	Light Brown	1
SMAA0360	336999	6753506	Light Brown	1
SMAA0361	337001	6753551	Cream Brown	1
SMAA0362	336999	6753600	Brown	1
SMAA0363	337000	6753654	Brown	1
SMAA0364	336993	6753695	Cream Brown	1
SMAA0365	336997	6753749	Brown	0.5
SMAA0366	337001	6753799	Brown	1
SMAA0367	336996	6753849	Cream Brown	1
SMAA0368	336999	6753903	Brown	1
SMAA0369	336996	6753949	Cream Brown	1
SMAA0370	337246	6753905	Cream Brown	1
SMAA0371	337251	6753856	Cream	1
SMAA0372	337252	6753803	Cream	1
SMAA0373	337255	6753746	Cream	1
SMAA0374	337246	6753709	Cream	1
SMAA0375			Cream	1
SMAA0376	337251	6753652	Tan	2
SMAA0377	337246	6753596	Cream	1
SMAA0378	337258	6753559	Brown	1
SMAA0379	337257	6753508	Light Brown	0.5
SMAA0380	337249	6753004	Light Brown	1
SMAA0381	337258	6752954	Light Brown	1
SMAA0382	337258	6752905	Cream Brown	1
SMAA0383	337258	6752858	Light Brown	1
SMAA0384	337503	6752955	Cream	1
SMAA0385	337507	6753008	Cream Brown	0.5
SMAA0386	337508	6753052	Cream Brown	0.5
SMAA0387	337501	6753097	Cream Brown	0.5
SMAA0388	337505	6753146	Cream	0.5
SMAA0389	337492	6753502	Cream	0.5
SMAA0390	337493	6753545	Cream	1
SMAA0391	337497	6753600	Cream	1
SMAA0392	337508	6753650	Cream Brown	1
SMAA0393	337500	6753696	Cream Brown	1
SMAA0394	337500	6753746	Cream	1
SMAA0395	337500	6753796	Cream	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0396	337499	6753849	Cream	0.5
SMAA0397	337505	6753909	Red Brown	1
SMAA0398	337505	6753944	Cream Brown	1
SMAA0399	337496	6753995	Light Brown	1
SMAA0400	337503	6754051	Cream Brown	1
SMAA0401	337493	6754097	Cream Brown	1
SMAA0402	337497	6754149	Light Brown	1
SMAA0403	338600	6754749	Cream Brown	1
SMAA0404	338607	6754790	Light Brown	0.5
SMAA0405	338596	6754845	Light Brown	0.5
SMAA0406	338607	6754898	Light Brown	0.5
SMAA0407	338605	6754944	Light Brown	0.5
SMAA0408	338595	6754995	Light Brown	1
SMAA0409	338258	6755255	Light Brown	1.5
SMAA0410	338241	6755296	Cream	1
SMAA0411	338242	6755352	Cream	1
SMAA0412	338247	6755397	Cream Brown	1
SMAA0413	338245	6755446	Cream Brown	1
SMAA0414	338000	6755001	Tan Brown	1
SMAA0415	337991	6755056	Cream Brown	1.5
SMAA0416	337996	6755093	Light Brown	1.5
SMAA0417	337997	6755153	Cream Brown	0.5
SMAA0418	338000	6755205	Light Brown	1
SMAA0419	338009	6755245	Cream Brown	1
SMAA0420	337996	6755296	Cream	1
SMAA0421	337992	6755352	Tan Brown	0.5
SMAA0422	337990	6755396	Tan Brown	0.5
SMAA0423	338002	6755445	Tan Brown	0.5
SMAA0424	337995	6755497	Cream Brown	2
SMAA0425			Cream Brown	2
SMAA0426	337994	6755553	Cream Brown	0.5
SMAA0427	337996	6755597	Cream Brown	0.5
SMAA0428	337995	6755646	Cream Brown	1
SMAA0429	337999	6755693	Light Brown	1
SMAA0430	338004	6755741	Light Brown	1
SMAA0431	337995	6755797	Purple	2
SMAA0432	337977	6755841	Cream Brown	1
SMAA0433	337925	6755942	Tan Brown	0.5
SMAA0434	338025	6756003	Purple	1
SMAA0435	337995	6756054	Cream Brown	1
SMAA0436	337996	6756097	Light Brown	0.5
SMAA0437	337998	6756146	Light Brown	1
SMAA0438	337992	6756196	Tan	0.5
SMAA0439	337997	6756242	Light Brown	0.5
SMAA0440	338007	6756299	Light Brown	0.5
SMAA0441	337992	6756349	Light Brown	1
SMAA0442	337996	6756405	Cream Brown	1
SMAA0443	338008	6756449	Light Brown	1
SMAA0444	337992	6756499	Light Brown	1
SMAA0445	338004	6756545	Tan Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0446	338004	6756596	Light Brown	1
SMAA0447	337758	6756404	Tan Brown	0.5
SMAA0448	337754	6756350	Light Brown	0.5
SMAA0449	337750	6756302	Light Brown	0.5
SMAA0450				
SMAA0451	337753	6756251	Light Brown	1
SMAA0452	337743	6756200	Light Brown	1
SMAA0453	337754	6756155	Light Brown	1
SMAA0454	337752	6756104	Light Brown	1
SMAA0455	337759	6756049	Cream Brown	1
SMAA0456	337757	6756004	Purple	1
SMAA0457	337710	6755951	Light Brown	0.5
SMAA0458	337746	6755748	Tan	2
SMAA0459	337700	6755695	Brown	2
SMAA0460	337750	6755650	Cream Brown	1
SMAA0461	337751	6755600	Cream Brown	1
SMAA0462	337743	6755552	Red Brown	1
SMAA0463	337743	6755505	Cream Brown	1
SMAA0464	337748	6755453	Light Brown	1
SMAA0465	337746	6755398	Light Brown	1
SMAA0466	337755	6755353	Light Brown	1
SMAA0467	337756	6755302	Red Brown	1
SMAA0468	337747	6755246	Light Brown	1
SMAA0469	337749	6755207	Cream Brown	1
SMAA0470	337751	6755151	Cream	1
SMAA0471	337748	6755099	Cream Brown	1.5
SMAA0472	337747	6755049	Cream	1
SMAA0473	337751	6755001	Cream	1
SMAA0474	337756	6754947	Cream	1
SMAA0475			Cream	1
SMAA0476	337754	6754898	Cream	1
SMAA0477	337493	6754850	Light Brown	0.5
SMAA0478	337504	6754898	Light Brown	0.5
SMAA0479	337493	6754946	Cream Brown	1
SMAA0480	337499	6754999	Cream Brown	1
SMAA0481	337495	6755046	Light Brown	1
SMAA0482	337507	6755093	Tan Brown	1
SMAA0483	337502	6755143	Light Brown	1
SMAA0484	337491	6755203	Light Brown	1
SMAA0485	337497	6755247	Light Brown	1
SMAA0486	337504	6755302	Cream Brown	1
SMAA0487	337491	6755345	Red Brown	1
SMAA0488	337503	6755392	Brown	0.5
SMAA0489	337495	6755452	Light Brown	1
SMAA0490	337497	6755499	Light Brown	1
SMAA0491	337507	6755555	Light Brown	1
SMAA0492	337495	6755592	Light Brown	1
SMAA0493	337490	6755655	Light Brown	1
SMAA0494	337497	6755693	Light Brown	1
SMAA0495	337506	6755751	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0496	337502	6755798	Cream	0.5
SMAA0497	337504	6755844	Light Brown	0.5
SMAA0498	337499	6755901	Cream	1.5
SMAA0499	337498	6755955	Cream Brown	1
SMAA0500	337505	6756005	Cream Brown	1
SMAA0501	337498	6756055	Light Brown	0.5
SMAA0502	337507	6756095	Light Brown	0.5
SMAA0503	337497	6756144	Cream Brown	1
SMAA0504	337493	6756202	Tan	2
SMAA0505	337247	6754804	Cream Brown	1
SMAA0506	337248	6754851	Light Brown	1
SMAA0507	337247	6754903	Light Brown	1
SMAA0508	337248	6754945	Light Brown	1
SMAA0509	337253	6755002	Light Brown	1
SMAA0510	337247	6755049	Cream Brown	1
SMAA0511	337253	6755098	Light Brown	1
SMAA0512	337251	6755143	Light Brown	1
SMAA0513	337247	6755193	Light Brown	1
SMAA0514	337253	6755248	Light Brown	0.5
SMAA0515	337251	6755293	Light Brown	1
SMAA0516	337247	6755354	Tan	0.5
SMAA0517	337240	6755395	Light Brown	1
SMAA0518	337252	6755447	Cream Brown	1
SMAA0519	337248	6755503	Cream Brown	1
SMAA0520	337243	6755550	Cream Brown	0.5
SMAA0521	337230	6755600	Cream Brown	0.5
SMAA0522	337245	6755651	Cream Brown	1
SMAA0523	337249	6755693	Light Brown	1
SMAA0524	337243	6755748	Light Brown	0.5
SMAA0525			Light Brown	0.5
SMAA0526	337241	6755892	Light Brown	0.5
SMAA0527	337243	6755956	Light Brown	1
SMAA0528	337258	6756008	Light Brown	1
SMAA0529	337249	6756046	Light Brown	0.5
SMAA0530	337249	6756108	Cream Brown	1
SMAA0531	337253	6756155	Cream	1
SMAA0532	337246	6756204	Cream Brown	1
SMAA0533	337254	6756656	Tan Brown	1
SMAA0534	337256	6756700	Tan Brown	1
SMAA0535	337243	6756752	Cream	0.5
SMAA0536	337247	6756806	Cream Brown	1
SMAA0537	337254	6756858	Cream	1
SMAA0538	337499	6756900	Light Brown	1
SMAA0539	337491	6756856	Cream	1
SMAA0540	337499	6756808	Cream Brown	1
SMAA0541	337502	6756756	Cream Brown	1
SMAA0542	337503	6756706	Cream Brown	1
SMAA0543	337501	6756659	Tan Brown	1
SMAA0544	336998	6756655	Light Brown	0.5
SMAA0545	337008	6756705	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0546	337002	6756746	Cream Brown	1
SMAA0547	336998	6756794	Light Brown	1
SMAA0548	336997	6756851	Tan	1.5
SMAA0549	336750	6756797	Tan Brown	1
SMAA0550				
SMAA0551	336750	6756756	Cream	1
SMAA0552	336749	6756704	Cream Brown	1
SMAA0553	336755	6756654	Cream Brown	1
SMAA0554	336757	6756598	Cream Brown	1
SMAA0555	337001	6754741	Cream	1.5
SMAA0556	337006	6754802	Light Brown	1.5
SMAA0557	336998	6754848	Tan Brown	1.5
SMAA0558	336999	6754895	Cream Brown	1
SMAA0559	336997	6754955	Tan Brown	1
SMAA0560	337007	6754994	Cream Brown	2
SMAA0561	337002	6755049	Cream Brown	1
SMAA0562	337001	6755094	Light Brown	1
SMAA0563	336998	6755148	Cream Brown	1
SMAA0564	336992	6755199	Cream Brown	0.5
SMAA0565	337002	6755248	Light Brown	1
SMAA0566	337007	6755292	Cream Brown	1
SMAA0567	337005	6755342	Light Brown	1
SMAA0568	337003	6755392	Light Brown	1
SMAA0569	337009	6755448	Light Brown	1
SMAA0570	337002	6755496	Cream Brown	1
SMAA0571	337006	6755544	Tan Brown	1.5
SMAA0572	336999	6755597	Tan Brown	1
SMAA0573	336992	6755653	Cream Brown	1
SMAA0574	336999	6755702	Red Brown	0.5
SMAA0575			Red Brown	0.5
SMAA0576	336998	6755756	Red Brown	1
SMAA0577	336996	6755796	Cream Brown	0.5
SMAA0578	337002	6755848	Light Brown	1
SMAA0579	337003	6755900	Light Brown	1
SMAA0580	337008	6755941	Light Brown	1
SMAA0581	336992	6755996	Light Brown	1
SMAA0582	336754	6755997	Grey	1
SMAA0583	336752	6755950	Light Brown	0.5
SMAA0584	336757	6755898	Brown	0.5
SMAA0585	336748	6755851	Grey	1
SMAA0586	336751	6755805	Grey Brown	0.5
SMAA0587	336753	6755755	Light Brown	1
SMAA0588	336753	6755701	Light Brown	1
SMAA0589	336748	6755646	Cream	1
SMAA0590	336747	6755603	Cream Brown	1
SMAA0591	336753	6755555	Cream	1
SMAA0592	336757	6755505	Grey Brown	1
SMAA0593	336747	6755456	Cream	1
SMAA0594	336744	6755406	Cream	1
SMAA0595	336742	6755343	Grey Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0596	336742	6755297	Grey Brown	0.5
SMAA0597	336754	6755253	Cream	1
SMAA0598	336753	6755203	Cream Brown	1
SMAA0599	336749	6755149	Light Brown	1
SMAA0600	336747	6755096	Cream Brown	1
SMAA0601	336754	6755052	Light Brown	0.5
SMAA0602	336753	6755003	Light Brown	0.5
SMAA0603	336752	6754950	Light Brown	0.5
SMAA0604	336748	6754907	Light Brown	1
SMAA0605	336751	6754859	Cream Brown	1
SMAA0606	336755	6754793	Cream Brown	1
SMAA0607	336499	6754749	Light Brown	1
SMAA0608	336499	6754807	Cream	1
SMAA0609	336494	6754850	Light Brown	1
SMAA0610	336495	6754899	Tan	1
SMAA0611	336497	6754947	Light Brown	1
SMAA0612	336488	6755005	Light Brown	1.5
SMAA0613	336499	6755053	Cream Brown	1
SMAA0614	336495	6755095	Brown	1.5
SMAA0615	336534	6755114	Light Brown	1
SMAA0616	336500	6755208	Cream Brown	1
SMAA0617	336500	6755249	Cream Brown	1
SMAA0618	336507	6755294	Light Brown	1
SMAA0619	336498	6755347	Cream Brown	0.5
SMAA0620	336503	6755401	Cream Brown	0.5
SMAA0621	336533	6755440	Light Brown	1
SMAA0622	336507	6755502	Light Brown	1
SMAA0623	336494	6755550	Cream Brown	1
SMAA0624	336499	6755596	Cream	2
SMAA0625			Cream	2
SMAA0626	336500	6755653	Cream	1.5
SMAA0627	336498	6755696	Cream	1
SMAA0628	336507	6755754	Cream	1
SMAA0629	336493	6755797	Cream	1
SMAA0630	336491	6755849	Grey	1
SMAA0631	336495	6755907	Cream	1
SMAA0632	336253	6755898	Cream Brown	1
SMAA0633	336255	6755852	Cream Brown	1
SMAA0634	336258	6755805	Cream Brown	0.5
SMAA0635	336250	6755758	Cream	1
SMAA0636	336249	6755708	Cream Brown	1
SMAA0637	336242	6755652	Cream Brown	0.5
SMAA0638	336254	6755604	Cream Brown	0.5
SMAA0639	336243	6755553	Cream Brown	0.5
SMAA0640	336242	6755501	Green Brown	1.5
SMAA0641	336251	6755458	Tan Brown	1
SMAA0642	336244	6755403	Cream Brown	1
SMAA0643	336254	6755351	Cream Brown	1
SMAA0644	336241	6755308	Cream Brown	1
SMAA0645	336250	6755251	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0646	336254	6755197	Light Brown	0.5
SMAA0647	336242	6755151	Grey Brown	0.5
SMAA0648	336243	6755104	Cream Brown	0.5
SMAA0649	336250	6755058	Cream	0.5
SMAA0650				
SMAA0651	336248	6755008	Cream	1
SMAA0652	336252	6754957	Cream	0.5
SMAA0653	336250	6754907	Tan Brown	1
SMAA0654	336246	6754858	Light Brown	0.5
SMAA0655	336247	6754807	Tan Brown	1
SMAA0656	336247	6754758	Cream Brown	1
SMAA0657	336254	6754703	Brown	1.5
SMAA0658	336250	6754652	Brown	1.5
SMAA0659	336247	6754602	Brown	1.5
SMAA0660	335995	6754504	Brown	1
SMAA0661	335995	6754558	Brown	1.5
SMAA0662	335992	6754600	Cream Brown	1
SMAA0663	335993	6754648	Dark Brown	2
SMAA0664	336003	6754700	Tan Brown	1
SMAA0665	335999	6754758	Tan	1
SMAA0666	335999	6754799	Light Brown	1
SMAA0667	336001	6754847	Cream	1
SMAA0668	336001	6754906	Cream Brown	1
SMAA0669	336002	6754948	Red Brown	1
SMAA0670	336000	6754994	Red Brown	1
SMAA0671	335988	6755054	Grey	1
SMAA0672	336005	6755103	Grey Brown	1
SMAA0673	336002	6755145	Cream Brown	0.5
SMAA0674	335998	6755200	Cream Brown	0.5
SMAA0675			Cream Brown	0.5
SMAA0676	336008	6755249	Cream	1
SMAA0677	336000	6755296	Cream	1
SMAA0678	336003	6755354	Cream Brown	0.5
SMAA0679	335982	6755400	Cream Brown	1
SMAA0680	335988	6755452	Cream Brown	1
SMAA0681	336004	6755506	Grey Brown	1
SMAA0682	335996	6755549	Cream Brown	1
SMAA0683	335998	6755607	Cream	1
SMAA0684	336002	6755651	Grey	1
SMAA0685	335997	6755702	Cream	1
SMAA0686	336003	6755755	Cream	1
SMAA0687	335992	6755804	Cream Brown	1
SMAA0688	336007	6755857	Light Brown	1
SMAA0689	335992	6755908	Cream Brown	1.5
SMAA0690	335743	6755993	Cream	1
SMAA0691	335742	6755948	Cream	1
SMAA0692	335745	6755905	Cream	1
SMAA0693	335753	6755852	Cream	1
SMAA0694	335757	6755801	Cream Brown	1
SMAA0695	335754	6755750	Cream Brown	0.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0696	335749	6755702	Cream	1.5
SMAA0697	335746	6755650	Cream	1.5
SMAA0698	335734	6755607	Cream	1
SMAA0699	335750	6755557	Cream Brown	0.5
SMAA0700	335742	6755505	Red Brown	1
SMAA0701	335755	6755444	Red Brown	1
SMAA0702	335743	6755403	Grey	1.5
SMAA0703	335748	6755345	Grey	1
SMAA0704	335749	6755304	Grey Brown	1
SMAA0705	335753	6755253	Cream Brown	1
SMAA0706	335753	6755200	Cream	1
SMAA0707	335755	6755154	Cream	1
SMAA0708	335746	6755104	Cream	1
SMAA0709	335747	6755050	Cream	1
SMAA0710	335756	6755002	Red Brown	0.5
SMAA0711	335753	6754950	Brown	1
SMAA0712	335751	6754901	Light Brown	1
SMAA0713	335748	6754852	Light Brown	1
SMAA0714	335747	6754806	Light Brown	0.5
SMAA0715	335748	6754750	Light Brown	0.5
SMAA0716	335749	6754702	Light Brown	1
SMAA0717	335748	6754654	Light Brown	2
SMAA0718	335752	6754606	Cream Brown	1
SMAA0719	335743	6754558	Light Brown	1.5
SMAA0720	335500	6754559	Light Brown	1.5
SMAA0721	335493	6754605	Light Brown	1.5
SMAA0722	335495	6754647	Light Brown	1.5
SMAA0723	335501	6754700	Light Brown	1
SMAA0724	335507	6754747	Light Brown	1
SMAA0725			Light Brown	1
SMAA0726	335495	6754799	Light Brown	1
SMAA0727	335497	6754851	Light Brown	1
SMAA0728	335499	6754899	Brown	0.5
SMAA0729	335495	6754946	Cream Brown	1
SMAA0730	335499	6755000	Light Brown	1
SMAA0731	335503	6755044	Light Brown	1
SMAA0732	335491	6755101	Cream	1
SMAA0733	335493	6755147	Grey Brown	1.5
SMAA0734	335503	6755201	Grey	1
SMAA0735	335502	6755247	Cream	1
SMAA0736	335498	6755297	Cream	1
SMAA0737	335494	6755356	Grey Brown	1
SMAA0738	335507	6755398	Light Brown	1
SMAA0739	335505	6755449	Cream Brown	1
SMAA0740	335502	6755500	Cream Brown	1
SMAA0741	335496	6755553	Red Brown	0.5
SMAA0742	335500	6755600	Grey Brown	0.5
SMAA0743	335508	6755644	Red Brown	1
SMAA0744	335503	6755699	Cream Brown	1
SMAA0745	335488	6755753	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0746	335496	6755799	Cream Brown	0.5
SMAA0747	335497	6755848	Cream Brown	0.5
SMAA0748	335496	6755899	Cream Brown	0.5
SMAA0749	335495	6755948	Cream	0.5
SMAA0750				
SMAA0751	335496	6755998	Cream Brown	1
SMAA0752	335499	6756055	Light Brown	1
SMAA0753	335505	6756101	Light Brown	1
SMAA0754	335253	6756502	Light Brown	1.5
SMAA0755	335242	6756447	Light Brown	1
SMAA0756	335250	6756405	Light Brown	1
SMAA0757	335245	6756347	Light Brown	1
SMAA0758	335248	6756298	Light Brown	1
SMAA0759	335256	6756252	Cream Brown	2
SMAA0760	335238	6756202	Cream Brown	1.5
SMAA0761	335250	6756106	Cream Brown	0.5
SMAA0762	335253	6756104	Cream	1
SMAA0763	335255	6756047	Cream	0.5
SMAA0764	335254	6756002	Cream	0.5
SMAA0765	335251	6755952	Cream Brown	0.5
SMAA0766	335250	6755897	Red Brown	0.5
SMAA0767	335250	6755854	Cream Brown	0.5
SMAA0768	335253	6755796	Cream Brown	0.5
SMAA0769	335247	6755753	Cream Brown	0.5
SMAA0770	335255	6755707	Cream Brown	0.5
SMAA0771	335251	6755649	Light Brown	1
SMAA0772	335252	6755645	Cream Brown	1
SMAA0773	335244	6755545	Red Brown	0.5
SMAA0774	335248	6755498	Grey Brown	1
SMAA0775			Grey Brown	1
SMAA0776	335244	6755450	Cream	0.5
SMAA0777	335250	6755401	Cream	0.5
SMAA0778	335258	6755349	Cream Brown	1
SMAA0779	335253	6755304	Cream Brown	1
SMAA0780	335246	6755257	Cream Brown	0.5
SMAA0781	335255	6755191	Cream	1
SMAA0782	335257	6755147	Cream Brown	0.5
SMAA0783	335251	6755099	Cream Brown	0.5
SMAA0784	335252	6755044	Cream Brown	1
SMAA0785	335246	6754998	Cream Brown	1
SMAA0786	335253	6754942	Cream Brown	1
SMAA0787	335255	6754898	Cream	1
SMAA0788	335253	6754849	Cream Brown	0.5
SMAA0789	335257	6754799	Cream Brown	1
SMAA0790	335252	6754746	Cream Brown	1
SMAA0791	335251	6754707	Light Brown	1
SMAA0792	335246	6754655	Brown	0.5
SMAA0793	335247	67547602	Light Brown	1
SMAA0794	335249	6754555	Light Brown	1
SMAA0795	335001	6754654	Light Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0796	335003	6754702	Light Brown	1.5
SMAA0797	335003	6754754	Light Brown	1.5
SMAA0798	335003	6754792	Light Brown	2
SMAA0799	334997	6754846	Light Brown	1
SMAA0800	334998	6754900	Cream Brown	1.5
SMAA0801	334994	6754948	Cream Brown	1
SMAA0802	334993	6755004	Cream Brown	0.5
SMAA0803	334999	6755055	Cream Brown	0.5
SMAA0804	334992	6755097	Cream Brown	0.5
SMAA0805	334997	6755151	Light Brown	0.5
SMAA0806	334994	6755201	Cream Brown	1
SMAA0807	334999	6755247	Cream Brown	0.5
SMAA0808	335003	6755302	Cream Brown	1
SMAA0809	335003	6755352	Cream Brown	1
SMAA0810	334997	6755395	Cream Brown	1
SMAA0811	335004	6755444	Cream Brown	1
SMAA0812	335006	6755504	Red Brown	0.5
SMAA0813	335001	6755558	Cream Brown	1
SMAA0814	334994	6755605	Red Brown	0.5
SMAA0815	334993	6755643	Cream Brown	0.5
SMAA0816	335001	6755700	Grey Brown	0.5
SMAA0817	334998	6755748	Cream Brown	0.5
SMAA0818	335001	6755807	Cream Brown	0.5
SMAA0819	334993	6755850	Cream Brown	0.5
SMAA0820	335002	6755893	Cream Brown	0.5
SMAA0821	334994	6755954	Cream Brown	0.5
SMAA0822	334999	6756004	Cream Brown	0.5
SMAA0823	334999	6756046	Light Brown	0.5
SMAA0824	334999	6756102	Cream Brown	0.5
SMAA0825			Cream Brown	0.5
SMAA0826	334997	6756151	Cream	1
SMAA0827	334998	6756200	Red Brown	0.5
SMAA0828	335005	6756254	Light Brown	2
SMAA0829	334996	6756298	Light Brown	2
SMAA0830	334996	6756352	Light Brown	1
SMAA0831	335006	6756396	Cream Brown	1
SMAA0832	334990	6756448	Cream Brown	1
SMAA0833	334995	6756504	Cream	1
SMAA0834	334990	6756554	Cream	0.5
SMAA0835	334999	6756603	Red Brown	1
SMAA0836	335005	6756654	Red Brown	1
SMAA0837	335003	6756704	Red Brown	0.5
SMAA0838	334746	6756806	Cream Brown	2
SMAA0839	334750	6756754	Cream Brown	1
SMAA0840	334750	6756708	Cream	1
SMAA0841	334752	6756657	Red Brown	1.5
SMAA0842	334755	6756605	Light Brown	1
SMAA0843	334757	6756548	Red Brown	0.5
SMAA0844	334743	6756498	Red Brown	0.5
SMAA0845	334753	6756444	Red Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0846	334753	6756398	Red Brown	1
SMAA0847	334754	6756351	Red Brown	1
SMAA0848	334753	6756307	Cream Brown	1
SMAA0849	334750	6756257	Cream Brown	1
SMAA0850				
SMAA0851	334755	6756205	Cream Brown	1
SMAA0852	334752	6756154	Cream Brown	1
SMAA0853	334752	6756104	Cream Brown	1
SMAA0854	334746	6756054	Light Brown	0.5
SMAA0855	334751	6756001	Cream Brown	0.5
SMAA0856	334754	6755956	Grey Brown	1
SMAA0857	334749	6755906	Cream Brown	1
SMAA0858	334756	6755854	Cream Brown	1
SMAA0859	334746	6755808	Cream Brown	0.5
SMAA0860	334750	6755758	Cream Brown	0.5
SMAA0861	334755	6755698	Grey Brown	0.5
SMAA0862	334746	6755652	Red Brown	0.5
SMAA0863	334752	6755603	Red Brown	0.5
SMAA0864	334748	6755556	Cream Brown	0.5
SMAA0865	334747	6755503	Cream Brown	0.5
SMAA0866	334745	6755450	Cream Brown	0.5
SMAA0867	334749	6755400	Cream Brown	0.5
SMAA0868	334752	6755350	Cream	1
SMAA0869	334757	6755309	Cream Brown	1
SMAA0870	334757	6755258	Light Brown	1
SMAA0871	334751	6755199	Cream	0.5
SMAA0872	334748	6755150	Cream	0.5
SMAA0873	334751	6755105	Cream	1
SMAA0874	334759	6755059	Cream	0.5
SMAA0875			Cream	0.5
SMAA0876	334754	6755003	Light Brown	0.5
SMAA0877	334754	6754946	Tan Brown	1
SMAA0878	334746	6754903	Cream	1
SMAA0879	334749	6754851	Cream Brown	1
SMAA0880	334748	6754802	Red Brown	0.5
SMAA0881	334748	6754758	Cream Brown	0.5
SMAA0882	334508	6755006	Red Brown	1
SMAA0883	334496	6755049	Cream Brown	0.5
SMAA0884	334500	6755094	Cream Brown	0.5
SMAA0885	334507	6755154	Brown	0.5
SMAA0886	334505	6755199	Cream Brown	0.5
SMAA0887	334500	6755247	Cream Brown	0.5
SMAA0888	334505	6755301	Red Brown	1
SMAA0889	334501	6755346	Red Brown	1
SMAA0890	334502	6755397	Red Brown	1
SMAA0891	334492	6755447	Cream Brown	1
SMAA0892	334496	6755495	Cream Brown	1
SMAA0893	334503	6755547	Cream Brown	0.5
SMAA0894	334490	6755599	Cream Brown	0.5
SMAA0895	334503	6755649	Cream Brown	0.5

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0896	334503	6755699	Cream Brown	1
SMAA0897	334499	6755745	Cream Brown	1
SMAA0898	334493	6755794	Cream Brown	0.5
SMAA0899	334499	6755850	Brown	0.5
SMAA0900	334503	6755897	Cream Brown	0.5
SMAA0901	334503	6755951	Cream	1
SMAA0902	334498	6755997	Cream Brown	0.5
SMAA0903	334491	6756052	Cream Brown	0.5
SMAA0904	334500	6756099	Cream	1
SMAA0905	334504	6756142	Cream Brown	0.5
SMAA0906	334506	6756205	Grey Brown	1
SMAA0907	334494	6756252	Red Brown	0.5
SMAA0908	334498	6756301	Red Brown	1
SMAA0909	334501	6756347	Red Brown	1.5
SMAA0910	334494	6756394	Light Brown	1.5
SMAA0911	334493	6756451	Cream Brown	1
SMAA0912	334495	6756504	Cream Brown	0.5
SMAA0913	334492	6756546	Cream Brown	1.5
SMAA0914	334494	6756603	Cream Brown	1.5
SMAA0915	334495	6756652	Brown	0.5
SMAA0916	334498	6756699	Cream Brown	1.5
SMAA0917	334254	6756398	Red Brown	0.5
SMAA0918	334242	6756341	Red Brown	1
SMAA0919	334215	6756297	Cream Brown	1.5
SMAA0920	334254	6756250	Red Brown	1
SMAA0921	334253	6756202	Red Brown	1
SMAA0922	334252	6756156	Red Brown	1.5
SMAA0923	334243	6756098	Cream Brown	1
SMAA0924	334248	6756055	Cream Brown	1
SMAA0925			Cream Brown	1
SMAA0926	334250	6756001	Cream Brown	0.5
SMAA0927	334241	6755955	Cream Brown	1
SMAA0928	334253	6755906	Red Brown	0.5
SMAA0929	334241	6755851	Cream Brown	0.5
SMAA0930	334250	6755799	Cream Brown	0.5
SMAA0931	334255	6755755	Cream Brown	0.5
SMAA0932	334254	6755701	Cream	0.5
SMAA0933	334250	6755652	Cream	1
SMAA0934	334244	6755608	Cream Brown	1
SMAA0935	334255	6755557	Red Brown	0.5
SMAA0936	334244	6755505	Grey Brown	1
SMAA0937	334250	6755452	Grey Brown	0.5
SMAA0938	334256	6755402	Red Brown	0.5
SMAA0939	334259	6755354	Red Brown	0.5
SMAA0940	334242	6755295	Cream Brown	0.5
SMAA0941	334256	6755248	Cream	1
SMAA0942	334241	6755195	Red Brown	0.5
SMAA0943	334253	6755153	Cream Brown	0.5
SMAA0944	334245	6755104	Red Brown	1
SMAA0945	334001	6755156	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0946	333996	6755196	Light Brown	1
SMAA0947	333997	6755253	Cream Brown	1
SMAA0948	334005	6755299	Light Brown	0.5
SMAA0949	334001	6755346	Light Brown	0.5
SMAA0950				
SMAA0951	334002	6755394	Light Brown	0.5
SMAA0952	334003	6755443	Brown	0.5
SMAA0953	333995	6755491	Cream Brown	1
SMAA0954	334002	6755548	Cream Brown	0.5
SMAA0955	333996	6755594	Cream Brown	0.5
SMAA0956	333997	6755651	Cream Brown	0.5
SMAA0957	334005	6755695	Cream Brown	0.5
SMAA0958	333997	6755746	Cream Brown	0.5
SMAA0959	334006	6755800	Cream Brown	1
SMAA0960	334001	6755849	Cream Brown	1
SMAA0961	333996	6755895	Light Brown	1
SMAA0962	334005	6755942	Cream Brown	0.5
SMAA0963	333993	6755996	Cream Brown	1
SMAA0964	334001	6756048	Cream Brown	0.5
SMAA0965	333995	6756100	Cream Brown	1.5
SMAA0966	333992	6756144	Brown	1.5
SMAA0967	334005	6756193	Brown	1
SMAA0968	334002	6756246	Brown	1
SMAA0969	333999	6756292	Brown	1
SMAA0970	334008	6756354	Brown	1
SMAA0971	334005	6756395	Light Brown	0.5
SMAA0972	333744	6756005	Brown	1.5
SMAA0973	333751	6755950	Cream Brown	1.5
SMAA0974	333745	6755894	Cream Brown	0.5
SMAA0975			Cream Brown	0.5
SMAA0976	333738	6755846	Cream Brown	0.5
SMAA0977	333748	6755802	Cream Brown	0.5
SMAA0978	333752	6755753	Cream	0.5
SMAA0979	333749	6755702	Cream Brown	0.5
SMAA0980	333754	6755647	Cream Brown	0.5
SMAA0981	333744	6755603	Light Brown	1
SMAA0982	333749	6755552	Light Brown	1
SMAA0983	333749	6755508	Light Brown	1
SMAA0984	333755	6755450	Light Brown	1
SMAA0985	333755	6755400	Light Brown	1
SMAA0986	333749	6755352	Cream Brown	0.5
SMAA0987	333755	6755301	Light Brown	1
SMAA0988	333750	6755251	Light Brown	1
SMAA0989	333498	6755697	Cream Brown	1
SMAA0990	333494	6755650	Cream Brown	1
SMAA0991	333501	6755602	Cream Brown	1
SMAA0992	333491	6755542	Cream Brown	1
SMAA0993	333504	6755504	Cream Brown	0.5
SMAA0994	333492	6755447	Light Brown	1
SMAA0995	333506	6755398	Cream Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA0996	333506	6755345	Light Brown	1.5
SMAA0997	333504	6755303	Light Brown	1.5
SMAA0998	335242	6750398	Light Brown	1
SMAA0999	335258	6750449	Red Brown	0.5
SMAA1000	335258	6750498	Grey	1
SMAA1001	335253	6750545	Light Brown	1
SMAA1002	335250	6750600	Cream	0.5
SMAA1003	335251	6750652	Light Brown	0.5
SMAA1004	335250	6750702	Cream	1
SMAA1005	333603	6750502	Grey Brown	1
SMAA1006	333555	6750506	Tan Brown	0.5
SMAA1007	333508	6750508	Tan Brown	0.5
SMAA1008	333450	6750498	Tan Brown	0.5
SMAA1009	333400	6750497	Brown	0.5
SMAA1010	333352	6750499	Tan Brown	0.5
SMAA1011	333300	6750500	Tan Brown	0.5
SMAA1012	333309	6750749	Tan Brown	0.5
SMAA1013	333345	6750752	Grey Brown	0.5
SMAA1014	333397	6750745	Tan Brown	0.5
SMAA1015	333451	6750753	Tan Brown	0.5
SMAA1016	333497	6750751	Tan Brown	0.5
SMAA1017	333552	6750754	Light Brown	0.5
SMAA1018	333596	6750751	Light Brown	0.5
SMAA1019	333599	6751004	Light Brown	0.5
SMAA1020	333553	6751000	Light Brown	0.5
SMAA1021	333501	6750998	Light Brown	0.5
SMAA1022	333455	6751001	Brown	0.5
SMAA1023	333403	6750997	Light Brown	0.5
SMAA1024	333354	6750996	Light Brown	0.5
SMAA1025			Light Brown	0.5
SMAA1026	333306	6751004	Light Brown	0.5
SMAA1027	333253	6750995	Grey Brown	1
SMAA1028	333201	6750995	Tan Brown	1
SMAA1029	333197	6751256	Light Brown	0.5
SMAA1030	333254	6751262	Light Brown	1
SMAA1031	333298	6751248	Cream Brown	0.5
SMAA1032	333347	6751259	Light Brown	1
SMAA1033	333398	6751249	Light Brown	0.5
SMAA1034	333445	6751257	Light Brown	1
SMAA1035	333494	6751256	Light Brown	1
SMAA1036	333548	6751252	Light Brown	1
SMAA1037	333603	6751253	Light Brown	1
SMAA1038	333596	6751505	Cream Brown	1
SMAA1039	333550	6751498	Brown	1
SMAA1040	333505	6751499	Cream Brown	1
SMAA1041	333457	6751495	Red Brown	1
SMAA1042	333414	6751527	Light Brown	1
SMAA1043	333351	6751546	Light Brown	1
SMAA1044	333296	6751539	Tan Brown	1
SMAA1045	333247	6751519	Light Brown	1

Sample ID	Easting	Northing	Colour	Depth of Sample
SMAA1046	333216	6751484	Dark Brown	1
SMAA1047	333202	6751753	Grey Brown	1
SMAA1048	333249	6751757	Grey Brown	0.5
SMAA1049	333300	6751757	Grey Brown	0.5
SMAA1050				
SMAA1051	333351	6751750	Grey Brown	1
SMAA1052	333398	6751752	Grey Brown	1
SMAA1053	333451	6751746	Grey Brown	0.5
SMAA1054	333496	6751757	Grey Brown	1
SMAA1055	333545	6751750	Cream Brown	1
SMAA1056	333502	6752001	Light Brown	1
SMAA1057	333452	6752003	Light Brown	1
SMAA1058	333402	6752006	Brown	0.5
SMAA1059	333350	6752003	Brown	0.5
SMAA1060	333300	6752005	Light Brown	0.5
SMAA1061	333250	6752004	Light Brown	0.5
SMAA1062	333200	6752004	Brown	0.5
SMAA1063	333150	6752005	Brown	0.5
SMAA1064	333503	6752251	Brown	1
SMAA1065	333454	6752250	Light Brown	1
SMAA1066	333399	6752246	Grey Brown	0.5
SMAA1067	333348	6752252	Light Brown	1
SMAA1068	333295	6752254	Grey Brown	1
SMAA1069	333250	6752248	Light Brown	1
SMAA1070	333203	6752250	Light Brown	1
SMAA1071	333147	6752244	Light Brown	1
SMAA1072	333094	6752252	Cream Brown	1

Appendix 2 – JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data- Golden Chimney Project Augur Soil Sampling

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> • <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> • Soil samples were collected by auger drilling. Sample depths for each hole drilled are provided in Appendix 1. Samples were collected at the bottom of each hole and sieved to - 240 μ (-60 mesh) and weighed between 200 – 250 grams and placed into paper MINSAM bags. • 10% Hydrochloric acid was used to check for carbonate within the soil profile. If significant carbonate was seen during drilling it was the preferred sample depth from which the sample was collected instead of the bottom of hole. Most holes had some degree of carbonate present. • The samples are considered to effectively represent the soil at the point of collection. Sampling included Shree Minerals’ standard QAQC procedures including the insertion of standards and duplicate samples, at the rate of 1 standard (or duplicate) for every 25 unknown samples, into the total sample batch that was submitted to the assay laboratory. • All samples were delivered to Bureau Veritas (BV) Laboratory in Kalgoorlie for preparation and assay. Analysis & results are expected in next 3 to 4 weeks. • Analysis details: Samples will be analysed for Au and As (0.5 ppb detection limit) determined by aqua regia digestion and ICP-MS (BV Method AR005). Additional elements (Co, Cu, Pb, Zn, Li, Ni, Rb, W) determined by aqua regia digestion and ICP-MS (BV Method AR102).
<i>Drilling techniques</i>	<ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> • Auger drilling was performed by Gyro Drilling P/L of Kalgoorlie using a 3.5 inch diameter auger bit with 1.5 m length auger rods. Drilling required a two-man operation of the auger mounted rig on the back of a Toyota Landcruiser 4WD vehicle. All holes drilled vertically. Figure 2 of this announcement illustrates the auger rig in action.

Criteria	JORC Code explanation	Commentary
Drill sample recovery	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results assessed. • Measures taken to maximise sample recovery and ensure representative nature of the samples. • Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<ul style="list-style-type: none"> • Sample recovery was assessed visually via the sample size collected into the paper MINSAM bags. Recovery was usually 80-90% but was lower (50%) in rare near surface samples. All samples after sieving weighed between 200-250 grams.
Logging	<ul style="list-style-type: none"> • Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. • Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. • The total length and percentage of the relevant intersections logged. 	<ul style="list-style-type: none"> • Geological logging of soils was undertaken. Sample number, soil colour, carbonate content, depth, GPS location was recorded. No geotechnical logging was required as the program is early stage exploration. • Geological logging was qualitative at 0.25m intervals and was recorded at the sample depth. The recording was done at a level commensurate with the early stage of exploration.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • N/A • Dry soil samples were collected at the drill collar. • All samples were delivered to Bureau Veritas (BV) Laboratory in Kalgoorlie for preparation and assay. The samples are considered to effectively represent the soil at the point of collection. Sampling included Shree Minerals' standard QAQC procedures including the insertion of standards and duplicate samples, at the rate of 1 standard (or duplicate) for every 25 unknown samples, into the total sample batch that was submitted to the assay laboratory. • Samples were collected at the bottom of each hole or a carbonate horizon and sieved to - 240 μ (-60 mesh) and weighed between 200 – 250 grams. Seiving was undertaken to enhance the geochemical anomaly to background ratio.
Quality of assay data and laboratory	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF 	<ul style="list-style-type: none"> • All samples were delivered to a reputable assay laboratory (Bureau Veritas (BV)) Laboratory in Kalgoorlie. Analysis details: Samples will be analysed for Au and As (0.5 ppb detection limit) determined by aqua regia digestion and ICP-

Criteria	JORC Code explanation	Commentary
tests	<p><i>instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <ul style="list-style-type: none"> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<p>MS read-out (BV Method AR005). Additional elements (Co, Cu, Pb, Zn, Li, Ni, Rb, W) determined by aqua regia digestion and ICP-MS read-out (BV Method AR102).</p> <ul style="list-style-type: none"> • Aqua Regia digestion of oxidized samples (in which these shallow soils are very oxidized) is considered a total digestion of the sample. • N/A • Sampling included Shree Minerals' standard QAQC procedures, including the insertion of appropriate standards and duplicate samples, at the rate of 1 standard (or duplicate) for every 25 unknown samples, into the total sample batch that was submitted to the assay laboratory.
Verification of sampling and assaying	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • Samples have not yet been assayed at the time of this announcement. • N/A • Sample data was recorded by hand and then transferred to a standard Excel spreadsheet on a laptop computer in the field. This file was then provided to a Shree Minerals database administrator in Perth. Assay files (when completed) will be emailed from BV labs to a Shree Minerals database administrator. • No assay data will be adjusted.
Location of data points	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • All auger holes coordinates were located by a handheld GPS, which are considered accurate to +/- 5m in the Northing and Easting. • The grid system used in MGA94 Zone 51 (GDA94). • Topographic control is maintained by the use of topographic maps.
Data spacing and distribution	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> 	<ul style="list-style-type: none"> • Auger holes were drilled on lines with 50m spacing between holes along lines 200m apart. As creeks, trees and large rocks were often encountered along lines, auger holes may be misplaced by upto 5m. • N/A as no resource estimate is made.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> • <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> • No sample compositing has been applied for such shallow holes where only one sample was collected.
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> • All holes were drilled vertically and did not reach depths to allow rock structures to be seen. • N/A
<i>Sample security</i>	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Auger samples were placed into paper MINSAM bags measuring 10 cm x 5 cm. They were then placed into larger polyweave bags which were sealed with cable ties before transport by Gyro Drilling to the BV lab in Kalgoorlie. A sample submission outlining assay instructions were provided to BV by a Shree geologist. • BV maintains the chain of custody once the samples are received at the laboratory, with a full audit trail available via the BV website.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • At this stage of exploration, no external audit or review has been undertaken.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> • <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> • <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> • Augur holes were all completed within the granted E40/378 which is 100% owned by Shree Minerals. Shree Minerals exercised its option to acquire E40/378 on the 7 March 2019 from Carmichael Prospecting Company Pty Limited. Landownership is leasehold with the tenement located within the Melita Pastoral property. • Ground activity and security of tenure are governed by the WA Dept. Mines, Industry Regulation and Safety (DMIRS) via the

Criteria	JORC Code explanation	Commentary
		<p data-bbox="1227 209 1883 277">Mining Act 1978. Shree Minerals is unaware of any impediments to exploration on this license.</p>
<p data-bbox="136 288 331 389"><i>Exploration done by other parties</i></p>	<ul data-bbox="338 288 1167 357" style="list-style-type: none"> <li data-bbox="338 288 1167 357">• <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<p data-bbox="1173 288 2056 357">Most of the historical work within the project was undertaken during the period from 1993 to 2001. This work included:</p> <ul data-bbox="1211 389 2056 1300" style="list-style-type: none"> <li data-bbox="1211 389 2056 612">▪ Detailed soil and rock sampling by Money Mining at the Golden Chimney and Golden Chimney West prospects in 1993. This work resulted in the discovery of the Golden Chimney prospect where rock chip assays up to 207 g/t Au and a robust soil anomaly measuring 100m x 150m in area was identified. <li data-bbox="1211 628 2056 729">▪ Regional soil sampling and 102 stream sediment samples by Aberfoyle in 1995 identified the Golden Chimney West prospect. <li data-bbox="1211 745 2056 968">▪ 28 RC holes for 1,092m within the Golden Chimney prospect were drilled by Money Mining and Aberfoyle between 1993 and 1996. This drilling intersected broad zones of low-grade gold mineralisation including 26m @ 0.36 g/t Au in RCGC014 from 6m, 15m @ 0.46 g/t Au in RCGC07 from 12m and 5m @ 0.47 g/t Au in RCGC011 from 102m. <li data-bbox="1211 984 2056 1123">▪ In a large regional program Barmenco collected 370 BLEG samples in the northern third of the area now covered by E40/378 in 1998. Low order anomalies (5 ppb Au) were generated. <li data-bbox="1211 1139 2056 1300">▪ Given the highly residual regolith in the project area, the sampling programs are considered meaningful, but sample line spacing (500m) is considered too coarse to identify the mineralised haloes typical of some existing gold deposits seen in the Leonora area.
<p data-bbox="136 1305 331 1342"><i>Geology</i></p>	<ul data-bbox="338 1305 1167 1342" style="list-style-type: none"> <li data-bbox="338 1305 1167 1342">• <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul data-bbox="1173 1305 2056 1437" style="list-style-type: none"> <li data-bbox="1173 1305 2056 1437">• E40/378 is located 40km south of Leonora (Figure 1) within the Leonora Gold field. The world class deposit known as the Sons of Gwalia Gold mine occurs within this geological terrain (1.9 Moz Au in reserve at a grade of 7.5 g/t Au and past production

Criteria	JORC Code explanation	Commentary
		<p>of 4 Moz Au).</p> <ul style="list-style-type: none"> • The project geology is dominated by greenstones that comprise a bimodal volcanic rock association, exhibiting an interfingering sequence of felsic and mafic lavas. Several dolerite sills and dykes are magnetite bearing and form prominent aeromagnetic high linears in aeromagnetic images (for example see Figure 3). • Mafic rocks, mainly dolerites, are the most common host rocks to mineralisation in the Leonora area and in many deposits including Golden Chimney, the mafic rocks appear to be Fe rich and occurring within fractionated zones that become gabbroic, containing more feldspar and quartz. • Drilling by Money Mining at the Golden Chimney prospect encountered a mineralised structure passing through a felsic quartz hornblende fractionated gabbroic intrusive. The structure contains common coarse crystalline arsenopyrite. Other sulphide minerals include pyrite and chalcopyrite.
<p><i>Drill hole Information</i></p>	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> • Details of the collars of the auger holes are provided in Appendix 1 and illustrated in Figure 3.
<p><i>Data aggregation</i></p>	<ul style="list-style-type: none"> • <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually</i> 	<ul style="list-style-type: none"> • N/A

Criteria	JORC Code explanation	Commentary
<i>methods</i>	<p><i>Material and should be stated.</i></p> <ul style="list-style-type: none"> • <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	
<i>Relationship between mineralisation widths and intercept lengths</i>	<ul style="list-style-type: none"> • <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> • N/A
<i>Diagrams</i>	<ul style="list-style-type: none"> • <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> • Refer to the diagrams in this announcement for relevant plans including a tabulation of auger hole collars in Appendix 1.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> • <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> • N/A as assay results for the auger samples have not yet been received.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> • <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> • Due to the early stage of exploration, no other substantive exploration data has been completed.
<i>Further work</i>	<ul style="list-style-type: none"> • <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible</i> 	<ul style="list-style-type: none"> • Further work is dependent on the results received from the detailed auger program, due in next 3 to 4 weeks. If warranted RC drilling of anomalous soil geochemistry will be undertaken.

Criteria	JORC Code explanation	Commentary
	<i>extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	